

April

Botanical Name	Common Name	Collection Sites	Collection Tips
<i>Acmena smithii</i> (<i>Syzygium smithii</i>)	LILLYPILLY, COMMON		Pink and soft
<i>Acronychia laevis</i>	ACRYONYCHIA, GLOSSY		
<i>Alectryon connatus</i>	BIRDS' EYE, COMMON		Collect when arils are fresh and red
<i>Alectryon diversifolius</i>	BOONAREE, SCRUB		Collect when arils are red and fresh
<i>Alectryon subdentatus</i>	BIRDS EYE, HOLLY LEAFED		Collect when arils are fresh and red
<i>Alectryon tomentosum</i>	BIRDS EYE, HAIRY		
<i>Allocasuarina torulosa</i>	SHE OAK, FOREST	2. Duggan Park	
<i>Alpinia caerulea</i>	GINGER, NATIVE		Ripe when blue and tasty
<i>Alyxia ruscifolia</i>	CHAIN FRUIT		
<i>Aphananthe philippensis</i>	ELM, NATIVE		
<i>Archontophoenix cunninghamiana</i>	PALM, PICCABEEN		Ripe when red and beginning to fall
<i>Baloghia inophylla</i>	BLOODWOOD, BRUSH		If seed picked too young, may not ripen. Seed picked up off ground is good.
<i>Banksia oblongifolia</i>	BANKSIA, FERN-LEAFED		Collect unopened woody capsules from last season
<i>Banksia integrifolia</i> var. <i>monticola</i>	BANKSIA, MOUNTAIN		Best collected when first few capsules have opened.
<i>Brachychiton discolor</i>	LACEBARK		Seed is ripe when pods split

<i>Bredelia exalata</i>	IRONBARK, SCRUB		
<i>Bridelia leichhardtii</i>	IRONBARK, LEICHHARDTS		
<i>Bursaria incana</i>	BURSARIA, FROSTY		
<i>Bursaria spinosa</i>	BURSARIA, SWEET		
<i>Capillipedium spicigerum</i>	GRASS, SCENTED TOP		
<i>Casuarina cunninghamiana</i>	SHE OAK, RIVER		Take great care NOT to collect <i>Casuarina glauca</i> (a serious weed introduced into some landcare projects and roadsie plantings) by mistake.
<i>Chloris truncata</i> C4	WINDMILL, GRASS		Collect when seedhead changes from purple to black, and stems become brittle and straw coloured
<i>Cissus antarctica</i>	VINE, KANGAROO		
<i>Cordyline petiolaris</i>	PALM LILY, LARGE-LEAFED		
<i>Cryptocarya glaucescens</i>	JACKWOOD		
<i>Deeringia amaranthoides</i>	DEERINGIA		
<i>Dendrocnide excelsa</i>	STINGING TREE, GIANT		
<i>Denhamia pittosporoides</i>	DENHAMIA, VEINY		
<i>Dianella brevipedunculata</i>	DIANELLA, SHORT-STEMMED		Best results from very fresh seed.
<i>Dioscorea transversa</i>	YAM, LONG		
<i>Doryanthes palmeri</i>	LILY, SPEAR		
<i>Dysoxylum fraserianum</i>	ROSEWOOD		Ripe when capsule opens to show seeds (or when almost ready to open)
<i>Elaeodendron australe</i> <i>var. australe</i>	RED FRUITED BROAD-LEAFED VARIETY		Ripe when red

<i>Elaeodendron australe</i> var. <i>integrifolium</i>	OLIVE PLUM, RED FRUITED NARROW-LEAF VARIETY		Ripe when orange
<i>Elattostachys xylocarpa</i>	BEETROOT TREE, WHITE		
<i>Emmenosperma alphitoniodes</i>	ASH, YELLOW		
<i>Enchyaena tomentosa</i>	SALTBUSH, RUBY		
<i>Erythroxylon</i> sp. <i>Splityard Creek</i>	REWOOD BUSH		
<i>Exocarpos latifolius</i>	BALLART, BROAD-LEAFED CHERRY		
<i>Ficus coronata</i>	FIG, SANDPAPER		Ripe when fruit is soft
<i>Jasminum simplicifolium</i>	JASMINE, STIFF		
<i>Jasminum simplicifolium</i>	JASMINE, NARROW-LEAF STIFF		
<i>Lysicarpus angustifolia</i>	BUDGEROO		
<i>Maytenus bilocularis</i>	ORANGE-BARK, HEDGE		
<i>Maytenus silvestris</i>	NARROW-LEAFED		
<i>Melaleuca linarifolia</i>	PAPERBARK, FLAX-LEAFED		

<i>Melicope micrococca</i>	DOUGHWOOD, WHITE		Put muslin bags on flowers after fertilisation to catch seed.
<i>Neolitsea australiensis</i>	BOLLYGUM, GREEN		Fruit 12-20mm
<i>Neolitsea dealbata</i>	BOLLYGUM, GREY		Can be distinguished from green bollygum by hairiness of young stems. Fruit 1cm or
<i>Petalostigma pubescens</i>	QUININE TREE		Distinguish from <i>P.pachyphyllum</i> by tree size and fruit yellow rather than bright orange.
<i>Pittosporum angustifolium</i>	GUMBY GUMBY		Ripe when capsules open
<i>Pittosporum revolutum</i>	PITTOSPORUM, YELLOW		Ripe when capsule opens
<i>Pittosporum, undulatum</i>	PITTOSPORUM, SWEET	1.Highfields	Ripe when capsules open.
<i>Pwyhotria daphnoides</i>	PSYCHOTRIA, SMOOTH		
<i>Psydrax odorata subsp buxifolium</i>	CANTHIUM, BOX-LEAFED	3.Duggan Park, Tba	Collect when black fruit is plump and fresh.
<i>Rhodosphaera rhodanthema</i>	YELLOWWOOD, DEEP		Collect & plant while seed is young & fresh
<i>Siphonodon australe</i>	IVORYWOOD		Collect from tree to get seed with minimal insect damage.
<i>Spartothamnella juncea</i>	BROOM, SQUARE STEMMED	1. Highfields	
<i>Streblus brunonianus</i>	WHALEBONE TREE		
<i>Syzygium australe</i>	LILLYPILLY, SCRUB CHERRY		Don't let seed dry out.
<i>Tetrastigma nitens</i>	SHINING GRAPE		
<i>Vitex lignum-vitae</i>	SATINWOOD		Collect old seed in plenty of mulch from under tree