

February

Botanical Name	Common Name	Collection Sites	Collection Tips
<i>Alectryon diversifolius</i>	BOONAREE, SCRUB		Collect when arils are red and fresh
<i>Alectryon oleifolius</i>	ROSEWOOD, WESTERN		Collect when arils are fresh and red
<i>Alectryon subdentatus</i>	BIRDS EYE, HOLLY LEAFED		Collect when arils are fresh and red
<i>Angophora leiocarpa</i>	APPLEGUM, BROAD LEAFED		Collect unopened woody capsules from last season
<i>Aphananthe philippensis</i>	ELM, NATIVE		
<i>Apophyllum anomalum</i>	WARRIOR BUSH		
<i>Araucaria bidwilli</i>	PINE, BUNYA		Seeds must be planted very fresh
<i>cunninghamiana</i>	PALM, PICCABEEN		Ripe when red and beginning to fall
<i>Arytera foveolata</i>	COOGERA, PITTED		
<i>Bothriochloa bladhii</i> C4	GRASS, FOREST BLUE		
<i>Breynia oblongifolia</i>	BREYNIA	1.Charles and Motee Rogers Park, Highfields 3. Duggan Park, Tba	Fruit is ripe when red and soft
<i>Bridelia leichhardtii</i>	IRONBARK, LEICHHARDTS		
<i>Bursaria spinosa</i>	BURSARIA, SWEET		

<i>Callistemon viminalis</i>	BOTTLEBRUSH, WEEPING RED		
<i>Capillipedium spicigerum</i>	GRASS, SCENTED TOP		
<i>Carissa ovata</i>	KUNKERBERRY	1.Franke Scrub	
<i>Casearia multinervosa</i>	CASEARIA		
<i>Chloris truncata C4</i>	WINDMILL, GRASS		Collect when seedhead changes from purple to black, and stems become brittle
<i>Citrus australis</i>	LIME, NATIVE ROUND		
<i>Claoxylon australe</i>	BRITTLEWOOD		
<i>Clerodendron tomentosum</i>	LOLLY BUSH, HAIRY		Put in blastic bag to prevent drying out
<i>Dichanthium sericeum C4</i>	GRASS, QUEENSLAND BLUE		seeds ripen progressively along seedhead; immediately drop when mature
<i>Drypetes deplanchei</i>	TULIPWOOD, YELLOW		
		3.Franke Scrub	
<i>Ehretia acuminata</i>	KODA		
<i>var.australe</i>	VARIETY		Ripe when red
<i>Elaeodendron australe var. integrifolium</i>	OLIVE PLUM, RED FRUITED NARROW-LEAF VARIETY		Ripe when orange
<i>Eremophila debilis</i>	DEVIL'S MARBLES		

<i>Erythroxylon sp.</i> Splityard Creek	REWOOD BUSH		
<i>Eucalyptus orgadophila</i>	COOLIBAH, MOUNTAIN		
<i>Billardiera scandens</i>	APPLE DUMPLINGS	2.Duggan Park, Tba	
<i>Eucalyptus populnea</i>	BOX, BIMBIL		
<i>Eustrephus latifolius</i>	WOMBAT BERRY	2.Duggan Park, Tba	
<i>Excoecarya dallachyana</i>	POISON TREE, SCRUB		
<i>Ficus coronata</i>	FIG, SANDPAPER		Ripe when fruit is soft
<i>Ficus macrophylla</i>	FIG, MORETON BAY		Fresh ripe fruit dropped on ground
<i>Ficus rubiginosa</i>	FIG, SCRUB		Ripe when fruit is soft (best fruits are red)
<i>Lomandra longifolia</i>	MAT RUSH (both sides of Gr Dividing Ra)	2.Duggan Park, Tba	Ripe when dark coloured seed dry and ready to fall. Put seedhead in paper bag till all fall.
<i>Lomatia silaifolia</i>	CRINKLE BUSH		
<i>Mallotus philippensis</i>	KAMALA, RED	2. Prince Henry Drive	
<i>Maytenus bilocularis</i>	ORANGE-BARK, HEDGE		

<i>Melicope micrococca</i>	WHITE EUODIA		
<i>Neolitsea dealbata</i>	BOLLYGUM, GREY		Can be distinguished from green bollygum by hairiness of young stems. Fruit 1cm or so should be dusted with derris dust after collection.
<i>Olearia elliptica</i>	DAISY BUSH, STICKY		
<i>Parachidendrum pruinosum</i>	SNOW WOOD		
<i>Planchonella cotinifolia</i>	CONDOO, SMALL-LEAFED		
<i>Psydrax odorata subsp buxifolium</i>	CANTHIUM, BOX-LEAFED	2.Duggan Park, Tba	Collect when black fruit is plump and fresh.
<i>Rhodosphaera rhodanthema</i>	YELLOWWOOD, DEEP		Collect & plant while seed is young & fresh
<i>Rubus parviflorus</i>	RASPBERRY, PINK-FLOWERED	2.Duggan Park, Tba	
<i>Rytidosperma (Austrodanthonia) species C3</i>	WALLABY GRASSES		
<i>Spartothamnella juncea</i>	BROOM, SQUARE STEMMED	1. Highfields	
<i>Stephania japonica</i>	VINE, TAPE	1. Charles & Motee Rogers Pk, Highfields 2.Duggan Park, Tba	
<i>Streblus brunonianus</i>	WHALEBONE TREE		
<i>Syzygium australe</i>	LILLYPILLY, SCRUB CHERRY		Don't let seed dry out.
<i>Temeda triandra C\$</i>	GRASS, KANGAROO		watch for fertile florets with black twisted awns and solid elmmas; then harvest entire culm and keep in water until seed falls.