

January

Botanical Name	Common Name	Collection Sites	
<i>Alchornea ilicifolia</i>	DOVEWOOD, HOLLY		freshly dropped on ground is good
<i>Allocasuarina littoralis</i>	SHE OAK, BLACK		
<i>Aphananthe philippensis</i>	ELM, NATIVE		
<i>Araucaria cunninghamii</i>	PINE, HOOP		Seeds must be planted very fresh
<i>Archontophoenix cunninghamiana</i>	PALM, PICCABEEN		Ripe when red and beginning to fall
<i>Arytera foveolata</i>	COOGERA, PITTED		
<i>Atalaya salicifolia</i>	WHITEWOOD, BRUSH		
<i>Billardiera scandens</i>	APPLE DUMPLINGS		
<i>Breynia oblongifolia</i>	BREYNIA	1.Charles and Motee Rogers Park, Highfields	Fruit is ripe when red and soft
<i>Callistemon viminalis</i>	BOTTLEBRUSH, WEeping RED		
<i>Casearia multinervosa</i>	CASEARIA		
<i>Chloris truncata C4</i>	WINDMILL, GRASS		Collect when seedhead changes from purple to black, and stems become brittle and straw coloured
<i>Citrus australis</i>	LIME, NATIVE ROUND		
<i>Clerodendron tomentosum</i>	LOLLY BUSH, HAIRY		Put in blastic bag to prevent drying out
<i>Cupaniopsis parvifolia</i>	TUCKEROO, SMALL LEAF		
<i>Dendrocnide photinophylla</i>	STINGING TREE, SHINY LEAFED		
<i>Dianella longifolia</i>	FLAX LILY, SPREADING	2.Duggan Park, Tba	Best results from very fresh seed
<i>Dianella revoluta</i>	ANTHER		Best results from very fresh seed

<i>Dichanthium sericeum</i> C4	GRASS, QUEENSLAND BLUE		seeds ripen progressively along seedhead; immediately drop when mature
<i>Dinosperma erythrococcum</i>	TINGLE TONGUE		
<i>Diploglottis cunninghamii</i>	TAMARIND, NATIVE		Fruit ripe when yellow-brown and tasty. Put into plastic bag to prevent drying out.
<i>Drypetes deplanchei</i>	TULIPWOOD, YELLOW	3.Franke Scrub	
<i>Dysoxylum rufum</i>	ROSEWOOD, HAIRY		Ripe when yellow.
<i>Ehretia acuminata</i>	KODA		
<i>Ehretia membranifolia</i>	KODA, THIN-LEAFED		
<i>Elaeocarpus obovatus</i>	QUANDONG, HARD		Collect old, weathered seed from ground.
<i>Enneapogon nigricans</i> C4	BLACK BOTTLE WASHERS		
<i>Erythrina numerosa</i>	PINE, MOUNTAIN		Pick up seed from ground. Plant when seed is still very fresh
<i>Euroschinus falcata</i>	RIBBONWOOD		
<i>Eustrephus latifolius</i>	WOMBAT BERRY	2.Duggan Park, Tba	
<i>Ficus opposita</i>	LEAFED SANDPAPER		Ripe when fruit is soft
<i>Flindersia collina</i>	ASH, LEOPARD		
<i>Geitonoplesium cymosum</i>	LILY, SCRAMBLING		
<i>Grevillea, robusta</i>	OAK, SILKY		
<i>Guioa semiglauca</i>	(Pronounced GHEE-OA)		collected and kept in water till all ripen.
<i>Harpullia pendula</i>	TULIPWOOD		

<i>Hymenosporum flavum</i>	FRANGIPANNI, NATIVE		
<i>Juncus usitatus</i>	RUSH, PIN		Keep ripe seed heads in paper bag till seeds fall.
<i>Legnephora moorei</i>	VINE, ROUNDEAF		
<i>Lomandra longifolia</i>	MAT RUSH (both sides of GDRA)	2.Duggan Park, Tba 3.Williams Park, Highfields	
<i>Mallotus claoxyloides</i>	SMELL OF THE BUSH		
<i>Mallotus philippensis</i>	KAMALA, RED	2. Prince Henry Drive	
<i>Rapanea variabilis</i>	MUTTONWOOD		
<i>Notelaea microcarpa</i>	MOCK OLIVE, GORGE		
<i>Omalanthus populifolius</i>	BLEEDING HEART		
<i>Poa labillardierei</i>	GRASS, TUSSOCK		
<i>Psydrax buxifolium</i>	CANTHIUM, BOX-LEAFED	2.Duggan Park, Tba	
<i>Rhodamnia rubescens</i>	MALLETWOOD, RED		
<i>Rubus moluccanus</i>	RASPBERRY, BROAD-LEAFED		
<i>(Austrodanthonia) species C3</i>	WALLABY GRASSES		
<i>Sambucus australasica</i>	ELDERBERRY, NATIVE		
<i>Schoenoplectus validus</i>	CLUBRUSH, RIVER		
<i>Sophora fraseri</i>	NECKLACE POD (Listed as vulnerable)		Seed grows best in mother soil. Collect soil at same time as seed.
<i>Temeda triandra C\$</i>	GRASS, KANGAROO		watch for fertile florets with black twisted awns and solid elmmas; then harvest entire culm and keep in water until seed falls.
<i>Toona ciliata</i>	CEDAR, RED		