

March

Botanical Name	Common Name	Collection Sites	Collection Tips
<i>Acronychia laevis</i>	ACRYONYCHIA, GLOSSY		
<i>Alectryon diversifolius</i>	BOONAREE, SCRUB		Collect when arils are red and fresh
<i>Alectryon pubescens</i>	BOONAREE, HAIRY	1. Franke Scrub	Collect when arils are red and fresh
<i>Alectryon subdentatus</i>	BIRDS EYE, HOLLY LEAFED		Collect when arils are fresh and red
<i>Alectryon tomentosum</i>	BIRDS EYE, HAIRY		
<i>Alyxia ruscifolia</i>	CHAIN FRUIT		
<i>Angophora floribunda</i>	APPLEGUM, ROUGH-BARKED		
<i>Angophora leiocarpa</i>	APPLEGUM, BROAD LEAFED		Collect unopened woody capsules from last season
<i>Aphananthe philippensis</i>	ELM, NATIVE		
<i>Archontophoenix cunninghamiana</i>	PALM, PICCABEEN		Ripe when red and beginning to fall
<i>Arytera foveolata</i>	COOGERA, PITTED		
<i>Austromyrtus dulcis</i>	MIDYIM		
<i>Backhousia angustifolia</i>	MYRTLE, CURRY		

<i>Baloghia inophylla</i>	BLOODWOOD, BRUSH		If seed picked too young, may not ripen. Seed picked up off ground is good.
<i>Banksia integrifolia</i> <i>car. monticola</i>	BANKSIA, MOUNTAIN		Best collected when first few capsules have opened.
<i>Breynia oblongifolia</i>	BREYNIA	1.Charles and Motee Rogers Park, Highfields 3. Duggan Park, Tba	Fruit is ripe when red and soft
<i>Bredelia exalata</i>	IRONBARK, SCRUB		
<i>Bridelia leichhardtii</i>	IRONBARK, LEICHHARDTS		
<i>Bursaria incana</i>	BURSARIA, FROSTY		
<i>Bursaria spinosa</i>	BURSARIA, SWEET	2.Duggan Park, Tba	
<i>Callistemon viminalis</i>	BOTTLEBRUSH, WEEPING RED		
<i>Capillipedium spicigerum</i>	GRASS, SCENTED TOP		
<i>Capparis sarmentosa</i>	CAPER, SCRAMBLING	2. Franke Scrub	
<i>Casearia multinervosa</i>	CASEARIA		
<i>Celastrus subspicatus</i>	VINE, STAFF		
<i>Chloris truncata C4</i>	WINDMILL, GRASS		Collect when seedhead changes from purple to black, and stems become brittle and straw coloured
<i>Citrus australis</i>	LIME, NATIVE ROUND		
<i>Deeringia amaranthoides</i>	DEERINGIA		
<i>Diospyros australis</i>	EBONY, PLUM		
<i>Doryanthes palmeri</i>	LILY, SPEAR		

<i>Dysoxylum fraseranum</i>	ROSEWOOD		Ripe when capsule opens to show seeds (or when almost ready to open)
<i>var.australe</i>	VARIETY		Ripe when red
<i>Elaeodendron australe var. integrifolium</i>	OLIVE PLUM, RED FRUITED NARROW-LEAF VARIETY		Ripe when orange
<i>Elattostachys xylocarpa</i>	BEETROOT TREE, WHITE		
<i>Erythroxylon sp. Splyard Creek</i>	REDWOOD, BUSH		
<i>Everistia vacciniifolia</i>	EVERISTIA		
<i>Exocarpos latifolus</i>	BALLART, BROAD-LEAFED CHERRY		
<i>Ficus macrophylla</i>	FIG, MORETON BAY		Fresh ripe fruit dropped on ground
<i>Ficus rubiginosa</i>	FIG, SCRUB		Ripe when fruit is soft (best fruits are red)
<i>Gmelina leichhardtii</i>	BEECH, WHITE		
<i>Jasminum simplicifolium</i>	JASMINE, STIFF		
<i>Leptospermum microcarpum</i>	TEA TREE, HARLEQUIN -BARKED		Collect unopened woody capsules from last season
<i>Lomatia silaifolia</i>	CRINKLE BUSH		
<i>Maytenus bilocularis</i>	ORANGE-BARK, HEDGE		

<i>Morinda jasminoides</i>	MORINDA, SWEET		1
<i>Parachidendrum pruinsum</i>	SNOW WOOD		
<i>Pittosporum revolutum</i>	PITTOSPORUM, YELLOW	5. Highfields	Ripe when capsule opens
<i>Psydrax odorata subsp buxifolium</i>	CANTHIUM, BOX-LEAFED	2.Duggan Park, Tba	Collect when black fruit is plump and fresh.
<i>Rytidosperma (Austrodanthonia) species C3</i>	WALLABY GRASSES		
<i>Senna acclinis</i>	SENNA, BRIGALOW		
<i>Spartothamnella juncea</i>	BROOM, SQUARE STEMMED	1. Highfields	
<i>Streblus brunonianus</i>	WHALEBONE TREE		
<i>Syzygium australe</i>	LILLYPILLY, SCRUB CHERRY		Don't let seed dry out.
<i>Trema tomentosa</i>	POISON PEACH		
<i>Turraea pubescens</i>	WITCH HAZEL, NATIVE		
<i>Zanthoxylum brachyacanthum</i>	YELLOWWOOD, THORNY		