

November

Botanical Name	Common Name	Known Collection Sites	Collection Tips
<i>Acacia cultriformis</i>	WATTLE, KNIFE LEAF		Pods brown and ready to split
<i>Acacia decora</i>	WATTLE, PRETTY		Pods brown and ready to split
<i>Acacia decurrens</i>	WATTLE, EARLY BLACK		Pods brown and ready to split
<i>Acacia disparrima</i>	SALWOOD (WATTLE)		Pods brown and ready to split
<i>Acacia falcata</i>	WATTLE, SICKLE		Pods brown and ready to split
<i>Acacia fimbriata</i>	WATTLE, BRISBANE		Pods brown and ready to split
		4. Duggan Park, Tba	
<i>Acacia granitica</i>	WATTLE, GRANITE		Pods brown and ready to split
<i>Acacia irrorata</i>	WATTLE, GREEN		Pods brown and ready to split
		3. Duggan Park, Tba	
<i>Acacia loroloba</i>	WATTLE, MA MA CREEK (rare)		Pods brown and ready to split
<i>Acacia maidenii</i>	WATTLE, MAIDEN'S		Pods brown and ready to split
		2.Duggan Park, Tba	
<i>Acacia salicina</i>	WATTLE, WILLOW		Pods brown and ready to split.
<i>Acacia ulicifolia</i>	WATTLE, JUNIPER		
<i>Allocasuarina, littoralis</i>	SHE OAK, BLACK		
<i>Alphitonia excelsa</i>	SOAP TREE		Collect when black fruits open to show red seeds. Best results from young trees
		3.Duggan Park, Tha	
<i>Aytera distylis</i>	COOGERA, TWIN LEAFED		
<i>Beyeria viscosa</i>	WALLABY BUSH, STICKY		Collect when almost ripe, and keep in paper bag till capsules break up.
<i>Billardiera scandens</i>	APPLE DUMPLINGS		
		2.Duggan Park, Tba	

<i>Breynia oblongifolia</i>	BREYNIA	1.Charles and Motee Rogers Park, Highfields 3. Duggan Park, Tba	Fruit is ripe when red and soft
<i>Callistemon viminalis</i>	BOTTLEBRUSH, WEEPING RED		
<i>Carex appressa</i>	SEDGE, TALL		
<i>Cayratia acris</i>	WATER VINE, HAIRY		
<i>Codonocarpus attenuatus</i>	BELLFURIT	4.Duggan Park, Tba	
<i>Daviesia wyattiana</i>	BITTER-PEA, LONG LEAF		Triangular pods
<i>Dianella longifolia</i>	FLAX LILY, SPREADING	2.Duggan Park, Tba	Best results from very fresh seed
<i>Diospyros humilis</i>			
<i>Dodonaea multijuga</i>	HOPBUSH, FERNY		Plant has narrow compound leaves with 16-28 leaflets, each 4-7mm long
<i>Dodonaea triangularis</i>	HOPBUSH, TRIANGLE-LEAFED		
<i>Dodonaea triquetra</i>	HOPBUSH, FOREST		
<i>Dodonaea viscosa</i> <i>subsp. Angustifolia</i>	HOPBUSH, NARROW-LEAF		
<i>Duboisia myoporoides</i>	CORKWOOD		
<i>Enneapogon nigricans C4</i>	BLACK BOTTLE WASHERS		
<i>Eucalyptus curtesii</i>	MALLEE, PLUNKETT (Not local)		
<i>Eucalyptus viminalis</i>	GUM, RIBBON		
<i>Glochidion fernandi</i>	CHEESE TREE		

<i>Hibbertia scandens</i>	VINE, SNAKE		Ripe when capsule opens to show seeds
<i>heterophyllus</i>	NATIVE		
<i>Hovea lanceolata</i>	HOVEA, LANCE-LEAFED		
<i>Indigofera australe</i>	INDIGO, NATIVE		
<i>Indofer a sp;purple stem</i>	INDIGO, NATIVE		
<i>Leiocarpa brevicomptal</i>	BILLY BUTTONS (daisy)		All daisy seed is very prone to insect attack, so should be dusted with derris dust after
<i>Melaleuca bracteata</i>	TEA TREE, BLACK		Collect unopened woody capsules from last season
<i>Microlaena stipoides C3</i>	WEeping RICE GRASS		
<i>Pandorea pandorana</i>	VINE, WONGA	4.Duggan Park, Tba	
<i>Poa spp.C3</i>	TUSsock GRASSES		
<i>Rubus rosifolius</i>	RASPBERRY, NATIVE		
<i>Rytidosperma (Austrodanthonia)species C3</i>	WALLABY GRASSES		
<i>Cassi nemophila)</i>	SENNA, SCENTED		
<i>Siphonodon australe</i>	IVORYWOOD	1. Franke Scrub	Collect from tree to get seed with minimal insect damage.
<i>Sterculia quadrifidaq</i>	PEANUT TREE		
<i>Temeda triandra C\$</i>	GRASS, KANGAROO		watch for fertile florets with black twisted awns and solid elmmas; then harvest entire culm and keep in water until seed falls.
<i>Wurmbea dioica</i>	EARLY NANCY (small lily)		Mark site if flowers are found as plants become inconspicuous.
<i>Zieria smithii</i>	ZIERIA, SANDFLY	1.Charle & Motee Rogers Park, Highfields	